

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	46	(secur\$4 path\$4 adjacent \$4 object\$4 head\$4 sourc \$4 target\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 20:52
S2	18	(secur\$4 path\$4 adjacent \$4 object\$4 head\$4 sourc \$4 target\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/04/09 20:52
S3	0	S2 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 20:53
S4	44	S1 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 20:53
S5	0	(secur\$4 path\$4 adjacent \$4 object\$4 head\$4 sourc \$4 target\$4) (Simple adj object adj access adj protocol adj message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 20:57
S6	410	secur\$4 path\$4 adjacent \$4 object\$4 head\$4 sourc \$4 target\$4 intermediate \$4 SOAP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 20:58
S7	194	S6 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 20:58

S8	137747	"380".clas. "726".clas. "713".clas. "705".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 20:59
S9	15	S7 S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 20:59
S10	1	(US-7496649-\$).did.	USPAT	AND	ON	2009/04/09 21:06
S11	32	("20030149781" "20040015421" "20040117494" "20040215824" "20050053007" "20050080914" "20050198206" "20070192827" "20070234417" "20080056500" "5224098" "5425028" "5530832" "5764887" "5845081" "5894557" "5941947" "5987517" "6243759" "6338117" "6430576" "6519636" "6519764" "6545599" "6598121" "6643684" "6662235" "6694368" "7000006" "7054332" "7089313" "7181537"). PN. OR ("7496649").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/04/09 21:06
S12	0	S11 secur\$4 path\$4 adjacent\$4 object\$4 head \$4 sourc\$4 target\$4 intermediate\$4 SOAP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:07
S13	28	S11 @ad<"20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:07
S14	408	secur\$4 path\$4 adjacent \$4 object\$4 head\$4 sourc \$4 target\$4 intermediate \$4 SOAP (alternat\$4 or route\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:18

S15	315	secur\$4 path\$4 adjacent \$4 object\$4 head\$4 sourc \$4 target\$4 intermediate \$4 SOAP alternat\$4 route \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:19
S16	126	S15 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:20
S17	3945	secur\$4 path\$4 adjacent \$4 object\$4 head\$4 sourc \$4 target\$4 intermediate \$4 alternat\$4 route\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:31
S18	321	S8 S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:32
S19	232	S18 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:32
S20	0	(secur\$4 path\$4 adjacent \$4 object\$4 head\$4 sourc \$4 target\$4 intermediate \$4 alternat\$4 route\$4). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:33
S21	3866	level\$4 secur\$4 path\$4 adjacent\$4 object\$4 head \$4 sourc\$4 target\$4 intermediate\$4 alternat\$4 route\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:33
S22	319	S8 S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:34
S23	230	S22 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:34

S24	3102	level\$4 secur\$4 path\$4 adjacent\$4 object\$4 head\$4 sourc\$4 target\$4 intermediate\$4 alternat\$4 route\$4 (chain\$4 or tandem\$4 or cascade\$4 or relay\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:36
S25	279	S8 S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:37
S26	208	S25 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:37
S27	2	(US-20050188072-\$).did. or (US-7496649-\$).did.	US-PGPUB; USPAT	AND	ON	2009/04/09 21:45
S28	3	"20040139322"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:56
S29	3	"20040139352"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/09 21:56
S30	3	(US-20040139322-\$ or US-20040139352-\$ or US-20050188072-\$).did.	US-PGPUB	AND	ON	2009/04/09 22:03
S31	1	10/713197	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/10 11:14
S32	1	S31 frequency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/10 11:14
S33	0	S31 ygb	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/10 11:25

S34	3	(US-20040139322-\$ or US-20040139352-\$ or US-20050188072-\$).did.	US-PGPUB	AND	ON	2009/04/10 12:10
S35	4	link\$4 layer\$4 (9secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) \$4adjacent\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/11/08 13:34
S36	0	link\$4 layer\$4 (9secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) \$4adjacent\$4 (route\$4 or switch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/11/08 13:35
S37	6	link\$4 layer\$4 (9secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) \$4adjacent\$4 (route\$4 or switch\$4) head\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/11/08 13:35
S38	11	link\$4 (9secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) \$4adjacent\$4 (route\$4 or switch\$4) head\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/11/08 13:35
S39	9	S38 @ad<"20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 13:36
S40	186	(\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle) (Path\$5 or Travers\$5 or Rout5 or hop) header (node\$6node or router\$6router or devce\$6devcie or host\$6host) (trrusted or trusted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:08

S41	115	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) (Path\$5 or Travers\$5 or Rout5 or hop) header (node\$6node or router\$6router or device\$6devcie or host\$6host) (trrusted or trusted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:08
S42	208	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) (Path\$5 or Travers\$5 or Rout5 or hop) header (node\$6node or router\$6router or device\$6devcie or host\$6host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:10
S43	77471	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/08 14:10
S44	3288	"I12" "I22"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:11
S45	1681	"I26" not "I28"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:15
S46	0	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) (Path\$5 or Travers\$5 or Rout5 or hop) header (node\$6node or router\$6router or device\$6devcie or host\$6host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/11/08 14:19

S47	0	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) (Path\$5 or Travers\$5 or Rout5 or hop) header (node\$6node or router\$6router or devce \$6devcie or host\$6host)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/11/08 14:20
S48	457	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) with (Path \$5 or Travers\$5 or Rout5 or hop)) header (node \$6node or router\$6router or devce\$6devcie or host \$6host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:24
S49	135	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) with (Path \$5 or Travers\$5 or Rout5 or hop)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header) (node\$6node or router\$6router or devce \$6devcie or host\$6host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:26
S50	1	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) with (Path \$5 or Travers\$5 or Rout5 or hop)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header) ((node\$6node or router\$6router or devce \$6devcie or host\$6host) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:27

		Middle or link\$6) with (Path\$5 or Travers\$5 or Rout5 or hop))				
S51	17	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) with (Path\$5 or Travers\$5 or Rout5 or hop)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header) ((node\$6node or router\$6router or device\$6devcie or host\$6host) same (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) same (Path\$5 or Travers\$5 or Rout5 or hop))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:28
S52	10	S51 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:28
S53	31	("20010027484" "20020059425" "20020103811" "20030046391" "20030074357" "20030084302" "20030163733" "20040003287" "20040015723" "20040205473" "20040230831" "20050044197" "20050149496" "20060090007" "5634053" "5774551" "5864843" "5931900" "5943671" "5995945" "6222533" "6226745" "6304892" "6332130" "6823068" "7076558" "7130885" "7134137" "7137006" "7269664" "7359945").PN. OR ("7467399").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/11/08 14:35

S54	31	S53 @ad<"20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 14:36
S55	32	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) with (Path\$5 or Travers\$5 or Rout5 or hop)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header) ((node\$6node or router\$6router or device\$6devcie or host\$6host) same (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) (Path\$5 or Travers\$5 or Rout5 or hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:01
S56	2954	713/168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:01
S57	2	S55 S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:01
S58	329	"I20" "I45"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:09

S59	1	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) with (Path\$5 or Travers\$5 or Rout5 or hop)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header) ((node\$6node or router\$6router or devce\$6devcie or host\$6host) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) (Path\$5 or Travers\$5 or Rout5 or hop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:10
S60	4	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) same (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) same (Path\$5 or Travers\$5 or Rout5 or hop)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header) ((node\$6node or router\$6router or devce\$6devcie or host\$6host) same (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) same (Path\$5 or Travers\$5 or Rout5 or hop))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:25
S61	3	S60 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:26

S62	386	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with (node\$6node or router\$6router or device\$6devcie or host\$6host or Path\$5 or Travers\$5 or Rout5 or hop) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:29
S63	76	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with (node\$6node or router\$6router or device\$6devcie or host\$6host or Path\$5 or Travers\$5 or Rout5 or hop) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) same ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:33
S64	49	S63 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:34
S65	17	(US-20040139322-\$ or US-20040139352-\$ or US-20050188072-\$ or US-20080285757-\$ or US-20040259529-\$ or US-20040107286-\$ or US-20040107285-\$).did. or (US-7292842-\$ or US-6754214-\$ or US-7490151-\$ or US-7418504-\$ or US-7386723-\$ or US-7188180-\$ or US-7133930-\$ or US-6839759-\$ or US-6834310-\$ or US-6826616-\$).did.	US-PGPUB; USPAT	AND	ON	2009/11/08 15:51

S66	29	(US-20040139322-\$ or US-20040139352-\$ or US-20050188072-\$ or US-20080285757-\$ or US-20040259529-\$ or US-20040107286-\$ or US-20040107285-\$).did. or (US-7292842-\$ or US-6754214-\$ or US-7490151-\$ or US-7418504-\$ or US-7386723-\$ or US-7188180-\$ or US-7133930-\$ or US-6839759-\$ or US-6834310-\$ or US-6826616-\$).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:52
S67	14	(US-20080285757-\$ or US-20040139322-\$ or US-20040107286-\$ or US-20050188072-\$ or US-20040139352-\$ or US-20040259529-\$).did. or (US-6754214-\$ or US-7133930-\$ or US-7386723-\$).did. or (US-20080285757-\$ or US-20050188072-\$ or US-20040139322-\$ or US-20040103277-\$ or US-20040003116-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/08 15:54
S68	12	S67 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 15:55
S90	14	(US-20080285757-\$ or US-20040139322-\$ or US-20040107286-\$ or US-20050188072-\$ or US-20040139352-\$ or US-20040259529-\$).did. or (US-6754214-\$ or US-7133930-\$ or US-7386723-\$).did. or (US-20080285757-\$ or US-20050188072-\$ or US-20040139322-\$ or US-20040103277-\$ or US-20040003116-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/08 16:35
S91	12	S90 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 16:36

S92	2	S90 not S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 16:36
S93	2	10/302351	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 16:41
S94	8	(US-20040139322-\$ or US-20040107286-\$ or US-20050188072-\$ or US-20040139352-\$ or US-20040259529-\$ or US-20040103277-\$).did. or (US-6754214-\$).did. or (US-20040103277-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2009/11/08 16:42
S95	1	09/356651	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 16:43
S96	2	10/302351	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 16:43
S97	7	(US-20040139322-\$ or US-20040107286-\$ or US-20050188072-\$ or US-20040139352-\$ or US-20040259529-\$ or US-20040103277-\$).did. or (US-6754214-\$).did.	US-PGPUB; USPAT	AND	ON	2009/11/08 16:46
S98	1	10/803590	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 16:55
S99	1	S98 object	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 16:55

S100	115	(\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (node\$6node or router\$6router or devce\$6devcie or host\$6host or Path\$5 or Travers\$5 or Rout5 or hop) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header with soap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 17:01
S101	5	((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with (node\$6node or router\$6router or devce\$6devcie or host\$6host or Path\$5 or Travers\$5 or Rout5 or hop) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header with soap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 17:02
S102	0	S101 @ad< "20040318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 17:02
S103	5	((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with (node\$6node or router\$6router or devce\$6devcie or host\$6host or Path\$5 or Travers\$5 or Rout5 or hop) with (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header with (soap or xml))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/11/08 17:03

S104	7	(US-20040139322-\$ or US-20040107286-\$ or US-20050188072-\$ or US-20040139352-\$ or US-20040259529-\$ or US-20040103277-\$).did. or (US-6754214-\$).did.	US-PGPUB; USPAT	AND	ON	2009/11/08 17:45
------	---	---	--------------------	-----	----	---------------------

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S69	9	link\$4 (9secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) \$4adjacent\$4 (route\$4 or switch\$4 or path\$4 or traver\$4) head\$4	USPAT; UPAD	SAME	ON	2009/11/08 13:40
S70	13	(\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle) (Path \$5 or Travers\$5 or Rout5) header	USPAT; UPAD	WITH	ON	2009/11/08 13:47
S71	20	(\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle) (Path \$5 or Travers\$5 or Rout5) header	US-PGPUB; USPAT; UPAD	WITH	ON	2009/11/08 13:47
S72	12	S71 @ad<"20040318"	USPAT; UPAD	AND	ON	2009/11/08 13:47
S73	0	(\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle) (Path \$5 or Travers\$5 or Rout5) header (node\$6node or router\$6router or devce \$6devcie or host\$6host)	US-PGPUB; USPAT; UPAD	SAME	ON	2009/11/08 13:57

S74	675	(\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle) (Path \$5 or Travers\$5 or Rout5) header (node\$6node or router\$6router or devce \$6devcie or host\$6host)	US-PGPUB; USPAT; UPAD	AND	ON	2009/11/08 13:57
S75	78680	"380".clas. "726".clas. "713". clas.	US-PGPUB; USPAT; UPAD	OR	ON	2009/11/08 13:57
S76	64	S74 S75	USPAT; UPAD	AND	ON	2009/11/08 13:58
S77	48	S76 @ad< "20040318"	USPAT; UPAD	AND	ON	2009/11/08 13:58
S78	199	(\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle) (Path \$5 or Travers\$5 or Rout5 or hop) header (node\$6node or router\$6router or devce \$6devcie or host\$6host) (trruisted or trusted)	US-PGPUB; USPAT; UPAD	AND	ON	2009/11/08 14:01
S79	63	S78 @ad< "20040318"	USPAT; UPAD	AND	ON	2009/11/08 14:02
S80	92	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with (Adjacent\$4 or Neighbor \$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link \$6)) (Path\$5 or Travers\$5 or Rout5 or hop) header (node\$6node or router \$6router or devce\$6devcie or host\$6host)	USPAT; UPAD	AND	ON	2009/11/08 14:10
S81	81	S80 @ad< "20040318"	USPAT; UPAD	AND	ON	2009/11/08 14:10
S82	36	S75 S81	USPAT; UPAD	AND	ON	2009/11/08 14:11
S83	36	S82 @ad< "20040318"	USPAT; UPAD	AND	ON	2009/11/08 14:12
S84	169	ginter\$4.in.	USPAT; UPAD	AND	ON	2009/11/08 14:15
S85	18	S83 not S84	USPAT; UPAD	AND	ON	2009/11/08 14:15

S86	10	(((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link \$6) with (Path\$5 or Travers \$5 or Rout5 or hop)) ((\$4secur\$4 or \$4crypt\$4 or \$4scramb\$4 or \$4cipher\$4) with header) ((node\$6node or router\$6router or device \$6devcie or host\$6host) same (Adjacent\$4 or Neighbor\$4 or Nearby or Adjoin\$4 or Border\$4 or Closest or Intermediate or Middle or link\$6)) (Path\$5 or Travers\$5 or Rout5 or hop)	USPAT; UPAD	AND	ON	2009/11/08 15:03
S87	1875	713/168.ccls.	USPAT; UPAD	AND	ON	2009/11/08 15:03
S88	7	S86 @ad< "20040318"	USPAT; UPAD	AND	ON	2009/11/08 15:04
S89	4	S80 S87	USPAT; UPAD	AND	ON	2009/11/08 15:09

11/ 8/ 2009 5:46:33 PM

**C:\ Documents and Settings\ tgergiso\ My Documents\ EAST\ Workspaces\ 10803590
 \ 10803590Update.wsp**